

Verification



Fingerprint



Password



Card

Features



Battery



TCP / IP



Cloud



USB



Time & Attendance Terminal

Bio-27

Bio-27 is a color screen time & attendance terminal with useful features like built-in battery backup, multi-location and cloud connectivity. This device supports multiple verification modes and is very convenient for data Transmission.

Users can manage data via TCP/IP and USB host port for data download/upload to avoid the risk of accidental deletion and also cloud base solution for remote locations.

Specifications

Verification Mode & Capacity	
Identification Mode	Fingerprint, Card, Password
Fingerprint Capacity	1,000
Card Capacity	1,000
Password Capacity	1,000
Log Capacity	1,60,000
System	
Operating System	Linux
Audio	
Audio Output	Speaker
Communication	
Communication interface	TCP/IP, USB
Screen	
Size	2.8 Inch
Resolution	320 x 240
Type	TFT Colour Screen
Authentication	
Verification Time	<0.5 Sec
False Rejection Rate	0.001%
False Acceptance Rate	0.00001%
Fingerprint Image Display	Yes
Others	
Battery Backup	Yes
Working Temperature	12V-2A
Working Temperature	0-55°C



Working Humidity	20%-80%
Access Control	Yes (EM lock & Push Button)
Algorithm Version	TW-10
Dimension	170*119.5*40mm

Applications



Education



Retail



Government



Health



Bank



Logistics



Office



Factory